



Technical house rider

Club

General information

Venue:	Poppodium Muziekgieterij	Capacity:	650
Address:	Boschstraat 7 6211 AS Maastricht	Load in/ parking:	Fransensingel 1 6211 AB Maastricht
Contact sound:	Robin Gulikers robingulikers@hotmail.com +31 6 123 67 68 6	Contact light:	Dart van Noorden dartvannoorden@live.com +31 6 836 71 09 4

Prohibited: Use of pyrotechnics, confetti, glass outside backstage

Smoking: No smoking allowed in clubs/pubs/restaurants and venues in the Netherlands, this includes **stage, dressing rooms** and **hallways** !

Local crew: 1x FoH engineer
1x Monitor engineer
1x Light engineer
1x Stagehand

Merchandise: Booth available

Audio

PA system:

Adamson Spektrix

6x Spektrix Top
4x Spektrix Wave
6x Spektrix Subs

FoH desk:

Soundcraft VI3000
48 local in/8 local out
(Dante connection available)

Monitor desk

Soundcraft VI1
16 local in/24 local out

Monitors:

11x Adamson M15
1x d&b C7 Sub(drumfill)

No sidefills !

Stagebox

48 in/12 out Vi stagebox

48 in/8 out analog stagebox
available on request.

Amping:

4x Labgruppen FP+10000Q

Processing:

2x Lake LM26

Distance to FoH:

12m

Power supply: 4x 230v

Monitor amping

3x Labgruppen FP+10000q

Monitor processing

3x XTA DP444

**Cable length necessary from stage
to FoH:** +- 25m

Main PA input

XLR connection stageright

**The venue has a sound pressure limit of 103 dB(A)
LEQ-15 measured at the FoH position. We expect
sound engineers to respect this limit !**

Mics/DI's:

2x Shure Beta 91
1x Shure Beta 52
2x Shure Beta 56
2x Shure Beta 57
8x Shure SM 57
8x Shure SM58
1x Shure Beta 58
1x Shure SM94

10x BSS 133 DI


Microphone stands

14x K&M Short boom
14x K&M Tall boom

Mics/DI's:

2x AKG D112
2x AKG C214
2x AKG C430
1x AKG C1000
4x Sennheiser E904
2x Sennheiser E906
2x Sennheiser MD 421 U-4
1x Electro Voice RE20
2x Audio Technica 2020

1x Whirlwind Passive DI



Light

Light desk:

Road Hog 4

Power supply Light desk:

3x 230v

Lights (stage)

10x Robe Colorspot AT575

13x Showtec M800 Tour Ledpar

12x Showtec Q4 Tracker

7x CYC 1500 Ledstrip

1x Martin Atomic 3000

4x Audience Blinder

2x Acl set (2x2 fourbar pars cp 61)

1x 1KW Fresnel (drum front)

Lights (hall)

6x 1KW Fresnel (front)

1x Fresnel (Merchandise)

1x Dimpack

16x Expression 5000

5x Led Par (bar light)

36x Q4 Spectrals

Fog

1x Look Unique 1500w Hazer

Dimmerpacks

1 x ElationRMD 1210 12ch digital dimmer

1 x Showtec DDP 6ch digital dimmer

Stage

Fixed stage

Stage dimensions:

Height: 0,9m

Width: 9,5m

Length: 5m

Backdrop:

Max. length: 3m


Max. width: 4m

Max. weight: 50kg

Clearance:

2.8m (2.4m to lights in the upstagetruss)





Additional power:

Additional power available **on request !!!** Please contact us a few weeks before showdate if you need additional power for sound or light.

- 1x 63 amp. CEE 3 phase + ground + neutral (stageright at monitorworld)
- 1x 32 amp. CEE 3 phase + ground + neutral (stageright at monitorworld)
- 1x 16 amp. CEE 3 phase + ground + neutral (stageleft/offstage)

